

RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Winnebago County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
6: Okoboji-----	95	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00
28B: Dickman-----	100	Not limited		Not limited		Not limited	
55: Nicollet-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
62C2: Storden-----	90	Not limited		Not limited		Not limited	
62D2: Storden-----	90	Somewhat limited Water erosion	0.53	Somewhat limited Water erosion	0.53	Somewhat limited Slope	0.63
62E2: Storden-----	85	Somewhat limited Water erosion Slope	0.53 0.08	Somewhat limited Water erosion	0.53	Very limited Slope	1.00
73B: Salida-----	100	Not limited		Not limited		Very limited Droughty Gravel content	1.00 0.12
73E: Salida-----	100	Not limited		Not limited		Very limited Droughty Slope Gravel content	1.00 0.96 0.12
90: Okoboji-----	100	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00
95: Harps-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Winnebago County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
107: Webster-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
135: Coland-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
135B: Coland-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
138B: Clarion-----	85	Not limited		Not limited		Not limited	
138C: Clarion-----	100	Not limited		Not limited		Not limited	
138C2: Clarion-----	85	Not limited		Not limited		Not limited	
138D2: Clarion-----	85	Somewhat limited Water erosion	0.53	Somewhat limited Water erosion	0.53	Somewhat limited Slope	0.63
150: Hanska-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
168B: Hayden-----	100	Not limited		Not limited		Not limited	
168C: Hayden-----	90	Not limited		Not limited		Not limited	
168D2: Hayden-----	90	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Somewhat limited Slope	0.63
168E: Hayden-----	95	Somewhat limited Water erosion	0.80	Somewhat limited Water erosion	0.80	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Winnebago County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope	0.50				
175B: Dickinson-----	95	Not limited		Not limited		Not limited	
221: Palms-----	100	Very limited		Very limited		Very limited	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
		Content of	1.00	Content of	1.00	Content of	1.00
		organic matter		organic matter		organic matter	
		Ponding	1.00	Ponding	1.00	Ponding	1.00
224: Linder-----	95	Very limited		Very limited		Very limited	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
236B: Lester-----	95	Not limited		Not limited		Not limited	
236C2: Lester-----	95	Not limited		Not limited		Not limited	
236D2: Lester-----	90	Somewhat limited		Somewhat limited		Somewhat limited	
		Water erosion	0.53	Water erosion	0.53	Slope	0.63
236E2: Lester-----	90	Somewhat limited		Somewhat limited		Very limited	
		Water erosion	0.53	Water erosion	0.53	Slope	1.00
		Slope	0.02				
236F: Lester-----	95	Somewhat limited		Somewhat limited		Very limited	
		Slope	0.98	Water erosion	0.53	Slope	1.00
		Water erosion	0.53				
307: Dundas-----	95	Very limited		Very limited		Very limited	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	
321: Boots-----	95	Very limited		Very limited		Very limited	
		Depth to	1.00	Depth to	1.00	Depth to	1.00
		saturated zone		saturated zone		saturated zone	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Winnebago County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Ponding	1.00	Ponding	1.00	Ponding	1.00
325: Le Sueur-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
349: Darfur-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
384: Collinwood-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
384B: Collinwood-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
386: Cordova-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
390: Waldorf-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
485B: Spillville-----	100	Not limited		Not limited		Not limited	
507: Canisteo-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
511: Blue Earth-----	100	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00
583: Minnetonka-----	95	Very limited		Very limited		Very limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Winnebago County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
585B: Coland-----	60	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Spillville-----	40	Not limited		Not limited		Not limited	
621: Houghton-----	100	Very limited Depth to saturated zone Content of organic matter Ponding	1.00 1.00 1.00	Very limited Depth to saturated zone Content of organic matter Ponding	1.00 1.00 1.00	Very limited Depth to saturated zone Content of organic matter Ponding	1.00 1.00 1.00
638B2: Clarion-----	60	Not limited		Not limited		Not limited	
Storden-----	35	Not limited		Not limited		Not limited	
638C2: Clarion-----	60	Not limited		Not limited		Not limited	
Storden-----	30	Not limited		Not limited		Not limited	
638D2: Clarion-----	60	Somewhat limited Water erosion	0.53	Somewhat limited Water erosion	0.53	Somewhat limited Slope	0.63
Storden-----	30	Somewhat limited Water erosion	0.53	Somewhat limited Water erosion	0.53	Somewhat limited Slope	0.63
638E2: Clarion-----	60	Somewhat limited Water erosion Slope	0.53 0.02	Somewhat limited Water erosion	0.53	Very limited Slope	1.00
Storden-----	30	Somewhat limited Water erosion Slope	0.53 0.02	Somewhat limited Water erosion	0.53	Very limited Slope	1.00
655: Crippin-----	95	Very limited		Very limited		Very limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Winnebago County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
658: Mayer-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
777: Wapsie-----	95	Not limited		Not limited		Not limited	
777B: Wapsie-----	95	Not limited		Not limited		Not limited	
777C: Wapsie-----	90	Not limited		Not limited		Not limited	
787B: Vinje-----	100	Not limited		Not limited		Not limited	
787C2: Vinje-----	95	Not limited		Not limited		Not limited	
787D2: Vinje-----	95	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
811: Muskego-----	100	Very limited Depth to saturated zone Content of organic matter Ponding	1.00 1.00 1.00	Very limited Depth to saturated zone Content of organic matter Ponding	1.00 1.00 1.00	Very limited Depth to saturated zone Content of organic matter Carbonate content Ponding	1.00 1.00 1.00 1.00
823: Ridgeport-----	95	Not limited		Not limited		Somewhat limited Droughty	0.14
823B: Ridgeport-----	100	Not limited		Not limited		Somewhat limited Droughty	0.14
836B: Kilkenny-----	95	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
RECREATION INTERPRETATIONS

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Winnebago County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
836C2: Kilkenny-----	90	Not limited		Not limited		Not limited	
836D2: Kilkenny-----	95	Somewhat limited Water erosion	0.53	Somewhat limited Water erosion	0.53	Somewhat limited Slope	0.63
836E2: Kilkenny-----	95	Somewhat limited Water erosion Slope	0.53 0.02	Somewhat limited Water erosion	0.53	Very limited Slope	1.00
836F: Kilkenny-----	95	Very limited Slope Water erosion	1.00 0.53	Somewhat limited Water erosion Slope	0.53 0.04	Very limited Slope	1.00
855: Shorewood-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
1133: Colo-----	95	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
2811: Muskego-----	95	Very limited Depth to saturated zone Content of organic matter Ponding	1.00 1.00 1.00	Very limited Depth to saturated zone Content of organic matter Ponding	1.00 1.00 1.00	Very limited Depth to saturated zone Content of organic matter Carbonate content Ponding	1.00 1.00 1.00 1.00
5010: Pits-----	100	Not rated		Not rated		Not rated	
5040: Orthents-----	100	Not rated		Not rated		Not rated	

Recreation - Part 2.

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Winnebago County, Iowa

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
W: Water-----	100	Not rated		Not rated		Not rated	

